

EDS Attributes

Overview

The EDS, at its core, is an LDAP server, which means that attribute names are defined using an LDAP nomenclature. LDAP best-practices state that you should use standard LDAP attributes when they exist, like givenName and sn for first name and last name, respectively. When a standard LDAP attribute does not exist, it is recommended that the custom attribute name begin with the domain name of the institution, company, etc., which is creating the attribute. For UCSF, this means that custom EDS attributes begin with ucsfEdu. So, in the list below, any attribute which does not begin with ucsfEdu is a standard LDAP attribute.

LDAP allows for the creating of attribute aliases, and in some cases, we have implemented aliases for the ucsfEdu custom LDAP attributes. This is mainly so that users of the previous directory service could transition to the EDS with less effort.

Requesting Access

Even though there are attributes listed below as "Public", that does not mean you can access this information in the EDS without a privileged LDAP bind. It simply means that these are attributes which would be eligible for showing up in the public directory, like directory.ucsf.edu. In other words, in order to query the EDS for **any** data, you will need to request access and go through an approval process from the data owners.

For more information about requesting access to the data contained in the EDS, see [Requesting Access to the EDS](#).

Attributes

Below is a table which lists all of the attributes that are available in the EDS, and which department is the owner of the attribute. For attributes which are specific to parts of the EDS tree, see the Data section for those attributes: [People Data](#), [Address Data](#), [Student Data](#), and [Department Data](#).

Standard LDAP Attributes

The following standard LDAP attributes are used in the EDS.

Attribute Name	Description	Owner
cn	Person's last name, first name, and middle initial, in that order	Public
st	State	Public
l	City	Public
givenName	First Name	Public
title	Person's Payroll Title	Public
telephoneNumber	Telephone Number	Public
postalAddress	Full Postal Address	Public
displayName	Person's Full Name	Public
roomNumber	Room Number	Public
o	Organization Name	Public
initials	Initials, but at UCSF just the middle initial	Public
uid	Unique Identifier (in the EDS)	Public
street	Street Address	Public
sn	Last Name	Public
pager	Pager Number	Public
mail	Email Address	Public
postalCode	Zip Code	Public
ou	Organizational Unit Name (in the EDS)	Public
mobile	Cell/Mobile Phone Number	Public
facsimileTelephoneNumber	Fax Number	Public

departmentNumber	UCSF Department Number (Code)	Human Resources
------------------	-------------------------------	-----------------

Internet2 eduPerson Attributes

The following Internet2 eduPerson LDAP attributes are used in the EDS.

Attribute Name	Description	Owner
eduPersonPrincipalName	Unique identifier across all institutions	Enterprise Directory
eduPersonPrimaryAffiliation	Person's primary affiliation with campus	Public
eduPersonAffiliation	Person's affiliations with campus	Public
eduPersonOrgDN	Unique organization identifier across all institutions. Every user has "dc=ucsf,dc=edu" as their OrgDN.	Public

UC Trust

The following are attributes which are specific to the UC System.

Attribute Name	Description	Owner
UCNetID	Unique identifier across all UC institutions	Human Resources
employeeNumber	Unique identifier across all UC institutions used by the UCPath HR system	UCPath Human Resources

UCSF Attributes

The following UCSF custom LDAP attributes are used in the EDS.

Attribute Name	Description	Owner
ucsfEduStuSchoolCode	School Code	Office of the Registrar
ucsfEduStuCurriculumCode	Curriculum Code	Office of the Registrar
ucsfEduDirectoryReleaseFlag	Whether or not to display the person's entry on the web	Enterprise Directory
ucsfEduDepartmentImmediateParent	DN of the department's immediate parent department	Public
ucsfEduDegreeReleaseFlag	Whether or not to release the value of ucsfEduDegree	Enterprise Directory
ucsfEduStuExpDate	Student Expiration Date	Office of the Registrar
ucsfEduStuCurriculumLevelName	Curriculum Level name	Office of the Registrar
ucsfEduPrimaryAddressType	What type of address is contained in a person's main people entry	Enterprise Directory
ucsfEduPreferredGivenName	Preferred First Name	Human Resources
ucsfEduStuCurriculumPrimaryFlag	Whether or not the curriculum is the primary curriculum	Office of the Registrar
ucsfEduStuCurriculumDegreeObjectiveCode	Degree Objective Code	Office of the Registrar
ucsfEduBuildingCode	UCSF Building Code	Public
ucsfEduWorkingDepartmentName	Working Department Name	Public
ucsfEduStuRegistrationStatusName	Registration Status Name	Office of the Registrar

ucsfEduStuGraduationTerm	Graduation Term	Office of the Registrar
ucsfEduStuCurriculumLevelCode	Curriculum Level Code	Office of the Registrar
ucsfEduDepartmentType	Department Type	Public
ucsfEduDegree	Person's degrees	Public
ucsfEduCampusBox	UCSF Campus Box Number	Public
ucsfEduActiveMemberFlag	Whether or not the person has any active roles on campus	Enterprise Directory
ucsfEduStuTerm	Student Term	Office of the Registrar
ucsfEduProviderNumber	Provider number as assigned by the ECHO system	ECHO Group
ucsfEduIDCardProxCode	UCSF ID Card Proximity Code	UCSF Police Department
ucsfEduEmpExpDate	Employee Expiration Date	Human Resources
ucsfEduAssistant	UCSF ID Number of person's assistant(s)	Public
ucsfEduAffiliateStartDate	Affiliate Start Date	Human Resources
ucsfEduStuRegistrationStatusCode	Registration Status Code	Office of the Registrar
ucsfEduSecondaryTelephoneNumber	Secondary Telephone Number	Public
ucsfEduRFSExpDate	RFS Expiration Date	Human Resources
ucsfEduFacsimileTelephoneNumberReleaseCode	Level of release for the facsimileTelephoneNumber attribute	Enterprise Directory
ucsfEduEntryReleaseCode	Level of release for the person's entry itself	Enterprise Directory
ucsfEduWorkingTitle	Working Title	Public
ucsfEduStuStartDate	Student Start Date	Office of the Registrar
ucsfEduStuAdmissionDate	Student Admission Date	Office of the Registrar
ucsfEduPagerReleaseCode	Level of release for the pager attribute	Enterprise Directory
ucsfEduLabeledAccountName	Collection of a user's various account names, which are labeled with the system name. The label is used to identify from which system the account name originates.	Human Resources
ucsfEduDepartmentParent	DN(s) of the department's parent department(s)	Public
ucsfEduAssistantTo	UCSF ID Number of person or people to whom this person is an assistant	Public
ucsfEduAddressPrimaryFlag	Whether or not the address is the primary address	Enterprise Directory
ucsfEduWorkingDepartmentNameSwitchFlag	Whether or not the working department name should be used instead of the default department name	Enterprise Directory
ucsfEduSFID	This is used as a username in many systems, including MyAccess, some AD accounts, the mainframe, and other applications	Human Resources
ucsfEduIDNumber	UCSF ID Number	Human Resources
ucsfEduEmpStartDate	Employee Start Date	Human Resources
ucsfEduWorkingTitleSwitchFlag	Whether or not the working title should be used instead of the default title	Enterprise Directory
ucsfEduTelephoneNumberReleaseCode	Level of release for the telephoneNumber attribute	Enterprise Directory
ucsfEduStuSchoolName	School Name	Office of the Registrar
ucsfEduSecondaryTelephoneNumberReleaseCode	Level of release for the ucsfEduSecondaryTelephoneNumber attribute	Enterprise Directory

ucsfEduPrimaryDepartmentNumber	Primary Department Number	Human Resources
ucsfEduAffiliateExpDate	Affiliate Expiration Date	Human Resources
ucsfEduStuCurriculumName	Curriculum Name	Office of the Registrar
ucsfEduStatus	IID Status for each affiliation with campus	Human Resources
ucsfEduMobileReleaseCode	Level of release for the mobile attribute	Enterprise Directory
ucsfEduDepartmentName	Department Name	Public
ucsfEduBirthYear	Year of the person's birth	Human Resources
ucsfEduStuGraduationTermExpected	Expected Graduation Term	Office of the Registrar
ucsfEduStuCurriculumDegreeObjectiveName	Degree Objective Name	Office of the Registrar
ucsfEduRFSStartDate	RFS Start Date	Human Resources
ucsfEduPrimaryAssistant	UCSF ID Number of the person's primary assistant	Public
ucsfEduMailReleaseCode	Level of release for the mail attribute	Enterprise Directory
ucsfEduMailReleaseFlag	Whether or not the mail attribute should be released to the public.	Enterprise Directory
ucsfEduCaResidencyStatus	Person's california residency status	Human Resources
ucsfEduCountryOfCitizenship	Person's country of citizenship	Human Resources
ucsfEduVisaType	Person's visa type	Human Resources
ucsfEduGender	Person's gender	Human Resources
ucsfEduSecondaryEmail	Person's secondary email id	Human Resources
ucsfEduStuWithdrawalCode1	Students primary curriculum withdrawal code	Office of the Registrar
ucsfEduStuWithdrawalCode1Desc	Students primary curriculum withdrawal code description.	Office of the Registrar
ucsfEduStuGraduationDate	Student's graduation date.	Office of the Registrar
ucsfEduOfficialMail	ucsfEduOfficialMail is populated from AD only if CLS doesn't have email for the user	Enterprise Directory
ucsfEduIdentityStatusCode	IID status that represents if an user is active or inactive (Separated)	Human Resource
ucsfEduPrimaryTitleCode	IID provided Primary Title Code	Human Resource
ucsfEduFloor	IID provided Floor information	Human Resource
ucsfEduNewEmpAffiliationStartDate	IID Provided latest Employee Affiliation Start Date	Human Resource
ucsfEduIdentityStatusModifiedDate	Last time record with IdentityStatus Code modified, provided from IID	Human Resource
ucsfEduPrimaryTitle	IID provided Primary Title	Human Resource
ucsfEduClinicalFacsimileTelephoneNumber	Clinical fax number which permits the transmission of PHI	Public
ucsfEduClinicalFacsimileTelephoneNumberReleaseCode	Release code for ucsfEduClinicalFacsimileTelephoneNumber	Enterprise Directory
ucsfEduPreferredPronoun	Designate preferred pronounce gender. EDS is the record of authority for this data	Enterprise Directory

cn

Name	cn
Alias	commonName

OID	2.5.4.3
Description	Person's last name, first name, and middle initial, in that order
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	Smith, Sally P.
Owner	Public
Source	IID
Table(s)	SF0INM
Column(s)	INM_GIVEN_NAME, INM_MIDDLE_NAME and INM_SURNAME

Back to [rfc](#).

st

Name	st
Alias	stateOrProvinceName
OID	2.5.4.8
Description	State
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	California
Owner	Public

Back to [rfc](#).

l

Name	l
Alias	localityName
OID	2.5.4.7
Description	City
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	San Francisco
Owner	Public

Back to [rfc](#).

givenName

Name	givenName
Alias	
OID	2.5.4.42
Description	First Name
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)

Multi-Value	true
Example	Sally
Owner	Public
Source	IID
Table(s)	SF0INM
Column(s)	INM_GIVEN_NAME

Back to [rfc](#).

title

Name	title
Alias	
OID	2.5.4.12
Description	Person's Payroll Title
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	PROGRAMMER/ANALYST IV
Owner	Public

Back to [rfc](#).

telephoneNumber

Name	telephoneNumber
Alias	
OID	2.5.4.20
Description	Telephone Number
Data Type	Telephone Number (1.3.6.1.4.1.1466.115.121.1.50)
Multi-Value	true
Example	+1 415 555-1110
Owner	Public

Back to [rfc](#).

postalAddress

Name	postalAddress
Alias	
OID	2.5.4.16
Description	Full Postal Address
Data Type	Postal Address (1.3.6.1.4.1.1466.115.121.1.41)
Multi-Value	true
Example	530 Parnassus Ave.\$San Francisco, CA 94143-0840\$USA
Owner	Public

[Back to rfc.](#)

displayName

Name	displayName
Alias	
OID	2.16.840.1.113730.3.1.241
Description	Person's Full Name
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	Sally Smith
Owner	Public
Source	IID
Table(s)	SFOINM
Column(s)	givenName (or ucsfEduPreferredGivenName if it exists) and sn

[Back to rfc.](#)

roomNumber

Name	roomNumber
Alias	
OID	0.9.2342.19200300.100.1.6
Description	Room Number
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	119
Owner	Public

[Back to rfc.](#)

o

Name	o
Alias	organizationName
OID	2.5.4.10
Description	Organization Name
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	University of California, San Francisco
Owner	Public

[Back to rfc.](#)

initials

Name	initials
Alias	
OID	2.5.4.43
Description	Initials, but at UCSF just the middle initial
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	P
Owner	Public
Source	IID
Table(s)	SF0INM
Column(s)	INM_MIDDLE_NAME

Back to [rfc](#).

uid

Name	uid
Alias	userid
OID	0.9.2342.19200300.100.1.1
Description	Unique Identifier (in the EDS)
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	7729
Owner	Public

Back to [rfc](#).

street

Name	street
Alias	streetAddress
OID	2.5.4.9
Description	Street Address
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	530 Parnassus Ave.
Owner	Public

Back to [rfc](#).

sn

Name	sn
Alias	surname
OID	2.5.4.4

Description	Last Name
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	Smith
Owner	Public

[Back to rfc.](#)

pager

Name	pager
Alias	pagerTelephoneNumber
OID	0.9.2342.19200300.100.1.42
Description	Pager Number
Data Type	Telephone Number (1.3.6.1.4.1.1466.115.121.1.50)
Multi-Value	true
Example	+1 415 555-1113
Owner	Public

[Back to rfc.](#)

mail

Name	mail
Alias	rfc822Mailbox
OID	0.9.2342.19200300.100.1.3
Description	Email Address
Data Type	String with a specific format (1.3.6.1.4.1.1466.115.121.1.26)
Multi-Value	true
Example	sally.smith@ucsf.edu
Owner	Public

[Back to rfc.](#)

postalCode

Name	postalCode
Alias	
OID	2.5.4.17
Description	Zip Code
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	94143
Owner	Public

[Back to rfc.](#)

ou

Name	ou
Alias	organizationalUnitName
OID	2.5.4.11
Description	Organizational Unit Name (in the EDS)
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	people
Owner	Public

Back to [rfc](#).

mobile

Name	mobile
Alias	mobileTelephoneNumber
OID	0.9.2342.19200300.100.1.41
Description	Cell/Mobile Phone Number
Data Type	Telephone Number (1.3.6.1.4.1.1466.115.121.1.50)
Multi-Value	true
Example	+1 415 555-1112
Owner	Public

Back to [rfc](#).

facsimileTelephoneNumber

Name	facsimileTelephoneNumber
Alias	
OID	2.5.4.23
Description	Fax Number
Data Type	Telephone Number (Fax-specific) (1.3.6.1.4.1.1466.115.121.1.22)
Multi-Value	true
Example	+1 415 555-1111
Owner	Public
Source	CLS
Table(s)	CLSPHN
Column(s)	PHN_TYPE_CODE, PHN_PREFIX, PHN_TELEPHONE_NO, and PHN_EXTENSION_NO

Back to [rfc](#).

departmentNumber

Name	departmentNumber
Alias	

OID	2.16.840.1.113730.3.1.2
Description	UCSF Department Number (Code)
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	079426
Owner	Human Resources
Source	EDB or IID
Table(s)	PPPPER, SF0AFF or RFSTBPGM
Column(s)	HOME_DEPT, AFF_DEPT_CD or HOMEDEPT

Back to [rfc](#).

eduPersonPrincipalName

Name	eduPersonPrincipalName
Alias	
OID	1.3.6.1.4.1.5923.1.1.1.6
Description	Unique identifier across all institutions
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	128507@ucsf.edu
Owner	Enterprise Directory

Back to [eduPerson](#).

eduPersonPrimaryAffiliation

Name	eduPersonPrimaryAffiliation
Alias	
OID	1.3.6.1.4.1.5923.1.1.1.5
Description	Person's primary affiliation with campus
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	staff
Owner	Public

Back to [eduPerson](#).

eduPersonAffiliation

Name	eduPersonAffiliation
Alias	
OID	1.3.6.1.4.1.5923.1.1.1.1
Description	Person's affiliation with campus
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)

Multi-Value	true
Example	member, staff, faculty, student, affiliate, rfs
Owner	Public

Back to [eduPerson](#).

eduPersonOrgDN

Name	eduPersonOrgDN
Alias	
OID	1.3.6.1.4.1.5923.1.1.1.3
Description	The distinguished name (DN) of the directory entry representing the organization with which the person is associated.
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	dc=ucsf,dc=edu
Owner	Public

Back to [eduPerson](#).

UCNetID

Name	UCNetID
Alias	
OID	2.16.840.1.113916.1.1.1.4.1
Description	Unique identifier across all UC institutions
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	138762
Owner	Human Resources

Back to [UCTrust](#).

employeeNumber

Name	employeeNumber
Alias	
OID	2.16.840.1.113730.3.1.3
Description	<p>A value assigned by the UCPath HR system. This single valued attribute contains the 8 character employee id (including leading zeros) used to uniquely identify individuals stored in the UCPath system. These mostly consist of employees, but also include some contractor, volunteer and similar type affiliates.</p> <p>Note: This OID is part of the inetOrgPerson definition (specifically, it represents inetOrgperson::employeeNumber). The UCTrust-specific use of this OID is to define that it will contain the UCPath Emplid.</p> <p>See https://spaces.ais.ucla.edu/display/uctrustwg/UCTrust+OIDs for the most current definition and more details.</p>
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)

Multi-Value	false
Example	10123456
Owner	UCPath Human Resources

Back to [UCTrust](#).

ucsfEduStuSchoolCode

Name	ucsfEduStuSchoolCode
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.87
Description	School Code
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	75
Owner	Office of the Registrar

Back to [ucsfEdu](#).

ucsfEduStuCurriculumCode

Name	ucsfEduStuCurriculumCode
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.89
Description	Curriculum Code
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	3200
Owner	Office of the Registrar

Back to [ucsfEdu](#).

ucsfEduDirectoryReleaseFlag

Name	ucsfEduDirectoryReleaseFlag
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.52
Description	Whether or not to display the person's entry on the web
Data Type	true or false (1.3.6.1.4.1.1466.115.121.1.7)
Multi-Value	false
Example	true
Owner	Enterprise Directory

Back to [ucsfEdu](#).

ucsfEduDepartmentImmediateParent

Name	ucsfEduDepartmentImmediateParent
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.44
Description	DN of the department's immediate parent department
Data Type	Distinguished Name (DN) of the object in LDAP ()
Multi-Value	false
Example	ou=006585,ou=departments,dc=ucsf,dc=edu
Owner	Public

Back to [ucsfEdu](#).

ucsfEduDegreeReleaseFlag

Name	ucsfEduDegreeReleaseFlag
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.22
Description	Whether or not to release the value of ucsfEduDegree
Data Type	true or false (1.3.6.1.4.1.1466.115.121.1.7)
Multi-Value	false
Example	true
Owner	Enterprise Directory

Back to [ucsfEdu](#).

ucsfEduStuExpDate

Name	ucsfEduStuExpDate
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.14
Description	Student Expiration Date
Data Type	Date in UTC time (1.3.6.1.4.1.1466.115.121.1.24)
Multi-Value	false
Example	201206301659Z
Owner	Office of the Registrar

Back to [ucsfEdu](#).

ucsfEduStuCurriculumLevelName

Name	ucsfEduStuCurriculumLevelName
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.92
Description	Curriculum Level name

Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	Second Doctoral
Owner	Office of the Registrar

Back to [ucsfEdu](#).

ucsfEduPrimaryAddressType

Name	ucsfEduPrimaryAddressType
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.46
Description	What type of address is contained in a person's main people entry
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	Campus
Owner	Enterprise Directory

Back to [ucsfEdu](#).

ucsfEduPreferredGivenName

Name	ucsfEduPreferredGivenName
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.34
Description	Preferred First Name
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	Sally
Owner	Human Resources

Back to [ucsfEdu](#).

ucsfEduStuCurriculumPrimaryFlag

Name	ucsfEduStuCurriculumPrimaryFlag
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.95
Description	Whether or not the curriculum is the primary curriculum
Data Type	true or false (1.3.6.1.4.1.1466.115.121.1.7)
Multi-Value	false
Example	true
Owner	Office of the Registrar

Back to [ucsfEdu](#).

ucsfEduStuCurriculumDegreeObjectiveCode

Name	ucsfEduStuCurriculumDegreeObjectiveCode
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.93
Description	Degree Objective Code
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	43
Owner	Office of the Registrar

Back to [ucsfEdu](#).

ucsfEduBuildingCode

Name	ucsfEduBuildingCode
Alias	ucsfBuildingCode
OID	1.3.6.1.4.1.20319.1.1.1.4
Description	UCSF Building Code
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	2012
Owner	Public

Back to [ucsfEdu](#).

ucsfEduWorkingDepartmentName

Name	ucsfEduWorkingDepartmentName
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.49
Description	Working Department Name
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	Library
Owner	Public

Back to [ucsfEdu](#).

ucsfEduStuRegistrationStatusName

Name	ucsfEduStuRegistrationStatusName
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.86
Description	Registration Status Name
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)

Multi-Value	false
Example	registered
Owner	Office of the Registrar

Back to [ucsfEdu](#).

ucsfEduStuGraduationTerm

Name	ucsfEduStuGraduationTerm
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.82
Description	Graduation Term
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	SP11
Owner	Office of the Registrar

Back to [ucsfEdu](#).

ucsfEduStuCurriculumLevelCode

Name	ucsfEduStuCurriculumLevelCode
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.91
Description	Curriculum Level Code
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	H
Owner	Office of the Registrar

Back to [ucsfEdu](#).

ucsfEduDepartmentType

Name	ucsfEduDepartmentType
Alias	ucsfAdminEntityType
OID	1.3.6.1.4.1.20319.1.1.3.45
Description	Department Type
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	Department
Owner	Public

Back to [ucsfEdu](#).

ucsfEduDegree

Name	ucsfEduDegree
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.21
Description	Person's degrees
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	MD, PhD
Owner	Public

Back to [ucsfEdu](#).

ucsfEduCampusBox

Name	ucsfEduCampusBox
Alias	ucsfCampusBox
OID	1.3.6.1.4.1.20319.1.1.1.3
Description	UCSF Campus Box Number
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	0840
Owner	Public

Back to [ucsfEdu](#).

ucsfEduActiveMemberFlag

Name	ucsfEduActiveMemberFlag
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.24
Description	Whether or not the person has any active roles on campus
Data Type	true or false (1.3.6.1.4.1.1466.115.121.1.7)
Multi-Value	false
Example	true
Owner	Enterprise Directory

Back to [ucsfEdu](#).

ucsfEduStuTerm

Name	ucsfEduStuTerm
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.84
Description	Student Term
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false

Example	FA10
Owner	Office of the Registrar

Back to [ucsfEdu](#).

ucsfEduProviderNumber

Name	ucsfEduProviderNumber
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.25
Description	Provider number as assigned by the ECHO system
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	32378
Owner	ECHO Group

Back to [ucsfEdu](#).

ucsfEduIDCardProxCode

Name	ucsfEduIDCardProxCode
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.47
Description	UCSF ID Card Proximity Code
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	65432167
Owner	UCSF Police Department

Back to [ucsfEdu](#).

ucsfEduEmpExpDate

Name	ucsfEduEmpExpDate
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.12
Description	Employee Expiration Date
Data Type	Date in UTC time (1.3.6.1.4.1.1466.115.121.1.24)
Multi-Value	false
Example	999912312359Z
Owner	Human Resources

Back to [ucsfEdu](#).

ucsfEduAssistant

Name	ucsfEduAssistant
------	------------------

Alias	
OID	1.3.6.1.4.1.20319.1.1.1.44
Description	UCSF ID Number of person's assistant(s)
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	021285077
Owner	Public

Back to [ucsfEdu](#).

ucsfEduAffiliateStartDate

Name	ucsfEduAffiliateStartDate
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.17
Description	Affiliate Start Date
Data Type	Date in UTC time (1.3.6.1.4.1.1466.115.121.1.24)
Multi-Value	false
Example	201006010701Z
Owner	Human Resources

Back to [ucsfEdu](#).

ucsfEduStuRegistrationStatusCode

Name	ucsfEduStuRegistrationStatusCode
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.85
Description	Registration Status Code
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	RG
Owner	Office of the Registrar

Back to [ucsfEdu](#).

ucsfEduSecondaryTelephoneNumber

Name	ucsfEduSecondaryTelephoneNumber
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.38
Description	Secondary Telephone Number
Data Type	Telephone Number (1.3.6.1.4.1.1466.115.121.1.50)
Multi-Value	true
Example	+1 415 555-1115

Owner	Public
-------	--------

Back to [ucsfEdu](#).

ucsfEduRFSExpDate

Name	ucsfEduRFSExpDate
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.16
Description	RFS Expiration Date
Data Type	Date in UTC time (1.3.6.1.4.1.1466.115.121.1.24)
Multi-Value	false
Example	201012311659Z
Owner	Human Resources

Back to [ucsfEdu](#).

ucsfEduFacsimileTelephoneNumberReleaseCode

Name	ucsfEduFacsimileTelephoneNumberReleaseCode
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.41
Description	Level of release for the facsimileTelephoneNumber attribute
Data Type	Number (integer) (1.3.6.1.4.1.1466.115.121.1.27)
Multi-Value	false
Example	1
Owner	Enterprise Directory

Back to [ucsfEdu](#).

ucsfEduEntryReleaseCode

Name	ucsfEduEntryReleaseCode
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.43
Description	Level of release for the person's entry itself
Data Type	Number (integer) (1.3.6.1.4.1.1466.115.121.1.27)
Multi-Value	false
Example	1
Owner	Enterprise Directory

Back to [ucsfEdu](#).

ucsfEduWorkingTitle

Name	ucsfEduWorkingTitle
Alias	

OID	1.3.6.1.4.1.20319.1.1.1.30
Description	Working Title
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	Programmer/Analyst IV
Owner	Public

Back to [ucsfEdu](#).

ucsfEduStuStartDate

Name	ucsfEduStuStartDate
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.13
Description	Student Start Date
Data Type	Date in UTC time (1.3.6.1.4.1.1466.115.121.1.24)
Multi-Value	false
Example	2007007311700Z
Owner	Office of the Registrar

Back to [ucsfEdu](#).

ucsfEduStuAdmissionDate

Name	ucsfEduStuAdmissionDate
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.81
Description	Student Admission Date
Data Type	Date in UTC time (1.3.6.1.4.1.1466.115.121.1.24)
Multi-Value	false
Example	201007010300Z
Owner	Office of the Registrar

Back to [ucsfEdu](#).

ucsfEduPagerReleaseCode

Name	ucsfEduPagerReleaseCode
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.40
Description	Level of release for the pager attribute
Data Type	Number (integer) (1.3.6.1.4.1.1466.115.121.1.27)
Multi-Value	false
Example	1
Owner	Enterprise Directory

[Back to ucsfEdu.](#)

ucsfEduLabeledAccountName

Name	ucsfEduLabeledAccountName
Alias	
OID	1.3.6.1.4.1.20319.1.1.4.21
Description	Collection of a user's various account names, which are labeled with the system name. The label is used to identify from which system the account name originates.
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	Irockwell activedirectory
Owner	Enterprise Directory

[Back to ucsfEdu.](#)

ucsfEduDepartmentParent

Name	ucsfEduDepartmentParent
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.43
Description	DN(s) of the department's parent department(s)
Data Type	Distinguished Name (DN) of the object in LDAP ()
Multi-Value	true
Example	ou=101785,ou=006585,ou=departments,dc=ucsf,dc=edu
Owner	Public

[Back to ucsfEdu.](#)

ucsfEduAssistantTo

Name	ucsfEduAssistantTo
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.45
Description	UCSF ID Number of person or people to whom this person is an assistant
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	021285077
Owner	Public

[Back to ucsfEdu.](#)

ucsfEduAddressPrimaryFlag

Name	ucsfEduAddressPrimaryFlag
------	---------------------------

Alias	
OID	1.3.6.1.4.1.20319.1.1.3.23
Description	Whether or not the address is the primary address
Data Type	true or false (1.3.6.1.4.1.1466.115.121.1.7)
Multi-Value	false
Example	true
Owner	Enterprise Directory

Back to [ucsfEdu](#).

ucsfEduWorkingDepartmentNameSwitchFlag

Name	ucsfEduWorkingDepartmentNameSwitchFlag
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.50
Description	Whether or not the working department name should be used instead of the default department name
Data Type	true or false (1.3.6.1.4.1.1466.115.121.1.7)
Multi-Value	false
Example	true
Owner	Enterprise Directory

Back to [ucsfEdu](#).

ucsfEduSFID

Name	ucsfEduSFID
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.26
Description	This is used as a username in many systems, including MyAccess, some AD accounts, the mainframe, and other applications
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	SF128507
Owner	Human Resources

Back to [ucsfEdu](#).

ucsfEduIDNumber

Name	ucsfEduIDNumber
Alias	ucsfIDNumber
OID	1.3.6.1.4.1.20319.1.1.1.1
Description	UCSF ID Number
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	021285077

Owner	Human Resources
-------	-----------------

Back to [ucsfEdu](#).

ucsfEduEmpStartDate

Name	ucsfEduEmpStartDate
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.13
Description	Explooyee Start Date
Data Type	Date in UTC time (1.3.6.1.4.1.1466.115.121.1.24)
Multi-Value	false
Example	200001010901Z
Owner	Human Resources

Back to [ucsfEdu](#).

ucsfEduWorkingTitleSwitchFlag

Name	ucsfEduWorkingTitleSwitchFlag
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.51
Description	Whether or not the working title should be used instead of the default title
Data Type	true or false (1.3.6.1.4.1.1466.115.121.1.7)
Multi-Value	false
Example	true
Owner	Enterprise Directory

Back to [ucsfEdu](#).

ucsfEduTelephoneNumberReleaseCode

Name	ucsfEduTelephoneNumberReleaseCode
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.37
Description	Level of release for the telephoneNumber attribute
Data Type	Number (integer) (1.3.6.1.4.1.1466.115.121.1.27)
Multi-Value	false
Example	1
Owner	Enterprise Directory

Back to [ucsfEdu](#).

ucsfEduStuSchoolName

Name	ucsfEduStuSchoolName
Alias	

OID	1.3.6.1.4.1.20319.1.1.3.88
Description	School Name
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	School of Dentistry
Owner	Office of the Registrar

Back to [ucsfEdu](#).

ucsfEduSecondaryTelephoneNumberReleaseCode

Name	ucsfEduSecondaryTelephoneNumberReleaseCode
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.39
Description	Level of release for the ucsfEduSecondaryTelephoneNumber attribute
Data Type	Number (integer) (1.3.6.1.4.1.1466.115.121.1.27)
Multi-Value	false
Example	1
Owner	Enterprise Directory

Back to [ucsfEdu](#).

ucsfEduPrimaryDepartmentNumber

Name	ucsfEduPrimaryDepartmentNumber
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.42
Description	Primary Department Number
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	079426
Owner	Human Resources

Back to [ucsfEdu](#).

ucsfEduAffiliateExpDate

Name	ucsfEduAffiliateExpDate
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.18
Description	Affiliate Expiration Date
Data Type	Date in UTC time (1.3.6.1.4.1.1466.115.121.1.24)
Multi-Value	false
Example	201101312359Z
Owner	Human Resources

Back to [ucsfEdu](#).

ucsfEduStuCurriculumName

Name	ucsfEduStuCurriculumName
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.90
Description	Curriculum Name
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	Oral and Craniofacial Sciences
Owner	Office of the Registrar

Back to [ucsfEdu](#).

ucsfEduStatus

Name	ucsfEduStatus
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.10
Description	IID Status for each affiliation with campus
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	Staff:A
Owner	Human Resources

Back to [ucsfEdu](#).

ucsfEduMobileReleaseCode

Name	ucsfEduMobileReleaseCode
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.42
Description	Level of release for the mobile attribute
Data Type	Number (integer) (1.3.6.1.4.1.1466.115.121.1.27)
Multi-Value	false
Example	1
Owner	Enterprise Directory

Back to [ucsfEdu](#).

ucsfEduDepartmentName

Name	ucsfEduDepartmentName
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.41

Description	Department Name
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	true
Example	Library
Owner	Public

Back to [ucsfEdu](#).

ucsfEduBirthYear

Name	ucsfEduBirthYear
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.2
Description	Year of the person's birth
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	1980
Owner	Human Resources

Back to [ucsfEdu](#).

ucsfEduStuGraduationTermExpected

Name	ucsfEduStuGraduationTermExpected
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.83
Description	Expected Graduation Term
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	WI10
Owner	Office of the Registrar

Back to [ucsfEdu](#).

ucsfEduStuCurriculumDegreeObjectiveName

Name	ucsfEduStuCurriculumDegreeObjectiveName
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.94
Description	Degree Objective Name
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	PhD
Owner	Office of the Registrar

Back to [ucsfEdu](#).

ucsfEduRFSStartDate

Name	ucsfEduRFSStartDate
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.15
Description	RFS Start Date
Data Type	Date in UTC time (1.3.6.1.4.1.1466.115.121.1.24)
Multi-Value	false
Example	200901010300Z
Owner	Human Resources

Back to [ucsfEdu](#).

ucsfEduPrimaryAssistant

Name	ucsfEduPrimaryAssistant
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.53
Description	UCSF ID Number of the person's primary assistant
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	021285077
Owner	Public

Back to [ucsfEdu](#).

ucsfEduMailReleaseCode

Name	ucsfEduMailReleaseCode
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.35
Description	Level of release for the mail attribute
Data Type	Number (integer) (1.3.6.1.4.1.1466.115.121.1.27)
Multi-Value	false
Example	1
Owner	Enterprise Directory

Back to [ucsfEdu](#).

ucsfEduCaResidencyStatus

Name	ucsfEduCaResidencyStatus
Alias	
OID	1.3.6.1.4.1.20319.1.1.4.25
Description	Person's California residency status
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)

Multi-Value	false
Example	true
Owner	Human Resource

Back to [ucsfEdu](#).

ucsfEduCountryOfCitizenship

Name	ucsfEduCountryOfCitizenship
Alias	
OID	1.3.6.1.4.1.20319.1.1.4.26
Description	Person's citizenship
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	
Owner	Human Resource

Back to [ucsfEdu](#).

ucsfEduVisaType

Name	ucsfEduVisaType
Alias	
OID	1.3.6.1.4.1.20319.1.1.4.27
Description	Person's visa type.
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	
Owner	Enterprise Directory

Back to [ucsfEdu](#).

ucsfEduGender

Name	ucsfEduGender
Alias	
OID	1.3.6.1.4.1.20319.1.1.4.28
Description	Person's gender type
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	M
Owner	Human Resource

Back to [ucsfEdu](#).

ucsfEduSecondaryEmail

Name	ucsfEduSecondaryEmail
Alias	
OID	1.3.6.1.4.1.20319.1.1.4.29
Description	Person's secondary email id.
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	anyone@anydomain.com
Owner	Enterprise Directory

Back to [ucsfEdu](#).

ucsfEduStuWithdrawalCode1

Name	ucsfEduStuWithdrawalCode1
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.96
Description	Students primary curriculum withdrawal code
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	NW
Owner	Student Information System

Back to [ucsfEdu](#).

ucsfEduStuWithdrawalCode2

Name	ucsfEduStuWithdrawalCode2
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.98
Description	Students secondary curriculum withdrawal code.
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	PW
Owner	Student Information System

Back to [ucsfEdu](#).

ucsfEduStuWithdrawalCode1Desc

Name	ucsfEduStuWithdrawalCode1Desc
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.97
Description	Students primary curriculum withdrawal code description.
Data Type	true or false (1.3.6.1.4.1.1466.115.121.1.7)
Multi-Value	false
Example	not withdrawn

Owner	Enterprise Directory
-------	----------------------

Back to [ucsfEdu](#).

ucsfEduStuWithdrawalCode2Desc

Name	ucsfEduStuWithdrawalCode2Desc
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.99
Description	Students secondary curriculum withdrawal code description.
Data Type	true or false (1.3.6.1.4.1.1466.115.121.1.7)
Multi-Value	false
Example	pending withdrawal
Owner	Enterprise Directory

Back to [ucsfEdu](#).

ucsfEduStuGraduationDate

Name	ucsfEduStuGraduationDate
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.100
Description	Student's graduation date.
Data Type	true or false (1.3.6.1.4.1.1466.115.121.1.7)
Multi-Value	false
Example	201412010000Z
Owner	Enterprise Directory

Back to [ucsfEdu](#).

ucsfEduOfficialMail

Name	ucsfEduOfficialMail
Alias	
OID	1.3.6.1.4.1.20319.1.1.3.28
Description	ucsfEduOfficialMail
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	firstname.lastname@ucsf.edu
Owner	Enterprise Directory

ucsfEduIdentityStatusCode

Name	ucsfEduIdentityStatusCode
Alias	

OID	1.3.6.1.4.1.20319.1.1.4.30
Description	ucsfEduIdentityStatusCode from IID
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	A or I
Owner	Human Resource

ucsfEduPrimaryTitleCode

Name	ucsfEduPrimaryTitleCode
Alias	
OID	1.3.6.1.4.1.20319.1.1.4.31
Description	IID provided Primary Title Code
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	3303
Owner	Human Resource

ucsfEduFloor

Name	ucsfEduFloor
Alias	
OID	1.3.6.1.4.1.20319.1.1.4.32
Description	IID provided Floor information for a person
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	4
Owner	Human Resource

ucsfEduNewEmpAffiliationStartDate

Name	ucsfEduNewEmpAffiliationStartDate
Alias	
OID	1.3.6.1.4.1.20319.1.1.4.33
Description	IID Provided latest Employee Affiliation Start Date
Data Type	generalizedTime (1.3.6.1.4.1.1466.115.121.1.24)
Multi-Value	false
Example	200810010001Z
Owner	Human Resource

ucsfEduIdentityStatusModifiedDate

Name	ucsfEduIdentityStatusModifiedDate
Alias	
OID	1.3.6.1.4.1.20319.1.1.4.34
Description	Last time record with IdentityStatus Code modified, provided from IID
Data Type	GeneralizedTime(1.3.6.1.4.1.1466.115.121.1.24)
Multi-Value	false
Example	201510010001Z
Owner	Human Resource

ucsfEduPrimaryTitle

Name	ucsfEduPrimaryTitle
Alias	
OID	1.3.6.1.4.1.20319.1.1.4.35
Description	IID provided Primary Title
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	APPLICATIONS PROGR 4
Owner	Human Resource

ucsfEduClinicalFacsimileTelephoneNumber

Name	ucsfEduClinicalFacsimileTelephoneNumber
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.56
Description	Clinical fax number permitted for the transmission of PHI
Data Type	Telephone Number (1.3.6.1.4.1.1466.115.121.1.50)
Multi-Value	false
Example	+1 415 555-1114
Owner	Public

ucsfEduClinicalFacsimileTelephoneNumberReleaseCode

Name	ucsfEduClinicalFacsimileTelephoneNumberReleaseCode
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.57
Description	Level of release for ucsfEduClinicalFacsimileTelephoneNumber
Data Type	Number (integer) (1.3.6.1.4.1.1466.115.121.1.27)

Multi-Value	false
Example	1
Owner	Enterprise Directory

ucsfEduPreferredPronoun

Name	ucsfEduPreferredPronoun
Alias	
OID	1.3.6.1.4.1.20319.1.1.1.58
Description	Designate preferred pronounce gender.
Data Type	Directory String (1.3.6.1.4.1.1466.115.121.1.15)
Multi-Value	false
Example	<pre><empty/null> "he/him/his" "she/her/hers" "they/them/theirs" "ze/hir/hirs" "i do not use a pronoun." "other, please ask me."</pre>
Owner	Enterprise Directory

Back to [ucsfEdu](#).

- [Affiliations](#)
- [Level of Release](#)