

Attribute Definitions for SPs

- [Purpose](#)
- [Attribute information](#)
- [Attribute definitions](#)

Purpose

This page lists all of the SAML attributes that can be sent by the MyAccess Identity Provider (IdP) to a SAML Service Provider (SP). If you're using the Shibboleth SP software as your SAML SP, you can [download a pre-configured attribute-map.xml](#) file which defines the most commonly used standard and UCSF attributes.

Attribute information

If you want to know more about the attributes, please refer to the [EDS Attributes](#) page.

Attribute definitions

KEY:

- **Bold:** Attribute name to use in MyAccess Integration Requests (*italic: A brief description of the attribute*)
Unformatted body text: Attribute name as it appears in the SAML response to integrated SPs.
- **Blue attribute names:** Automatically released to all InCommon Federation member SPs (thus, no need to submit any integration requests).
- **Green attribute names:** Sent in the SAML NameID portion of the SAML response. Only 1 of these can be sent at a time.

NAME ATTRIBUTES:

- **displayName** (*full name as it should be presented to others*)
urn:oid:2.16.840.1.113730.3.1.241
- **displayNameFERPA** (*same as "displayName" above but pre-filtered to exclude students*)
urn:oid:2.16.840.1.113730.3.1.241
- **displayNameFERPANOResidents** (*same as "displayNameFERPA" above but also pre-filtered to exclude GME residents and fellows*)
urn:oid:2.16.840.1.113730.3.1.241
- **displayNameNoResidents** (*same as "displayName" above but pre-filtered to exclude GME residents and fellows, but include other students*)
urn:oid:2.16.840.1.113730.3.1.241
- **commonName** (*full name, a.k.a. "common name" in "Last, First Middle" format*)
urn:oid:2.5.4.3
- **cnFERPA** (*same as "commonName" above but pre-filtered to exclude students*)
urn:oid:2.5.4.3
- **cnFERPANOResidents** (*same as "cnFERPA" above but also pre-filtered to exclude GME residents and fellows*)
urn:oid:2.5.4.3
- **givenName** (*name given at birth, a.k.a. first name*)
urn:oid:2.5.4.42
- **givenNameFERPA** (*same as "givenName" above but pre-filtered to exclude students*)
urn:oid:2.5.4.42
- **givenNameFERPANOResidents** (*same as "givenNameFERPA" above but also pre-filtered to exclude GME residents and fellows*)
urn:oid:2.5.4.42
- **givenNameNoResidents** (*same as "givenName" above but pre-filtered to exclude GME residents and fellows, but include other students*)
urn:oid:2.5.4.42
- **surname** (*surname, a.k.a. family name or last name*)
urn:oid:2.5.4.4
- **snFERPA** (*same as "surname" above but pre-filtered to exclude students*)
urn:oid:2.5.4.4
- **snFERPANOResidents** (*same as "snFERPA" above but also pre-filtered to exclude GME residents and fellows*)
urn:oid:2.5.4.4
- **snNoResidents** (*same as "surname" above but pre-filtered to exclude GME residents and fellows, but include other students*)
urn:oid:2.5.4.4
- **initials** (*middle name initials*)
urn:oid:2.5.4.43
- **ucsfEduNameReleaseFlag** (*"true"/"false" flag indicating whether any part of the name can be released outside UCSF*)
urn:oid:1.3.6.1.4.1.20319.1.1.3.36
- **givenNameADFS** (*same as "givenName" above but sent to the SP with a more Microsoft-friendly SAML attribute name*)
givenname
- **surnameADFS** (*same as "surname" above but sent to the SP with a more Microsoft-friendly SAML attribute name*)
surname

CONTACT ATTRIBUTES:

- **email** (*email address as found in EDS*)
urn:oid:0.9.2342.19200300.100.1.3

- **mail_unspecified** (same as "email" above but sent as a SAML NameID instead of an attribute)
NameID: urn:oasis:names:tc:SAML:1.1:nameid-format:unspecified
- **emailNameID** (same as "mail_unspecified" but using a different NameID format when sent)
NameID: urn:oasis:names:tc:SAML:1.1:nameid-format:emailAddress
- **emailPersistentNameID** (same as "mail_unspecified" above but using yet a different NameID format when sent)
NameID: urn:oasis:names:tc:SAML:2.0:nameid-format:persistent
- **emailFERPA** (same as "email" above but pre-filtered to exclude students)
urn:oid:0.9.2342.19200300.100.1.3
- **emailFERPANOResidents** (same as "emailFERPA" above but also pre-filtered to exclude GME residents and fellows)
urn:oid:0.9.2342.19200300.100.1.3
- **emailNoResidents** (same as "email" above but pre-filtered to exclude GME residents and fellows, but include other students)
urn:oid:0.9.2342.19200300.100.1.3
- **ucsfEduMailReleaseFlag** ("true"/"false" flag indicating whether the email address can be released outside UCSF)
urn:oid:1.3.6.1.4.1.20319.1.1.3.27
- **ucsfEduOfficialMail** (list of official campus, medical center and CLS email addresses as found in EDS, multi-value)
urn:oid:1.3.6.1.4.1.20319.1.1.3.28
- **ucsfEduMailList** (list of email addresses in AD and EDS)
urn:oid:1.3.6.1.4.1.20319.1.1.3.35
- **ucsfEduPrimaryMail** (the email address found in the user's mail enabled AD account, or the value of "email" above if no mail enabled AD account exists)
urn:oid:1.3.6.1.4.1.20319.1.1.3.33
- **telephoneNumber** (work telephone number)
urn:oid:2.5.4.20
- **homePhone** (home phone number, if it exists)
urn:oid:0.9.2342.19200300.100.1.20
- **homePostalAddress** (home postal address, if it exists)
urn:oid:0.9.2342.19200300.100.1.39
- **mobileNumber** (mobile phone number, if it exists)
urn:oid:0.9.2342.19200300.100.1.41
- **pagerNumber** (pager phone number, if it exists)
urn:oid:0.9.2342.19200300.100.1.42
- **locality** (city of work place)
urn:oid:2.5.4.7
- **stateProvince** (state or province of work place)
urn:oid:2.5.4.8
- **street** (street address of work place)
urn:oid:2.5.4.9
- **postalAddress** (primary physical work address, including building ID)
urn:oid:2.5.4.16
- **postalCode** (ZIP or other postal code of the primary physical work address)
urn:oid:2.5.4.17
- **postOfficeBox** (UCSF postal "box" number used to route mail to your physical location)
urn:oid:2.5.4.18
- **emailADFS** (same as "email" above but sent to the SP with a more Microsoft-friendly SAML attribute name)
emailaddress
- **cADFS** (the country in which UCSF is located. Always sends "US" as the value. Sent using a more Microsoft-friendly SAML attribute name)
country

IDENTITY DATA ATTRIBUTES:

- **uid** (UCSF "SF ID" sent as a "userid" as defined in the public OID repository)
urn:oid:0.9.2342.19200300.100.1.1
- **uidNoResidents** (same as "uid" above but pre-filtered to exclude GME residents and fellows, but including other students)
urn:oid:0.9.2342.19200300.100.1.1
- **principal** (same as "uid" above but sent as a SAML NameID instead of an attribute)
NameID: urn:oasis:names:tc:SAML:1.1:nameid-format:unspecified
- **uidNameID** (same as "uid" above but sent as a SAML NameID instead of an attribute)
NameID: urn:oasis:names:tc:SAML:2.0:nameid-format:transient
- **ucsfEduSFID** (UCSF "SF ID")
urn:oid:1.3.6.1.4.1.20319.1.1.3.26
- **ucsfEduIDNumber** (UCSF student/employee ID number, a.k.a. "02 ID")
urn:oid:2.16.840.1.113730.3.1.3
- **principalNameID** (same as "ucsfEduIDNumber" above but sent as a SAML NameID instead of an attribute)
NameID: urn:oasis:names:tc:SAML:2.0:nameid-format:unspecified
- **username** (the username string used to successfully login to the IdP. Because many users have multiple valid usernames, this should never be used in production)
urn:oid:1.3.6.1.4.1.20319.1.1.4.22
- **ucsfEduIDNumberNoResidents** (same as "ucsfEduIDNumber" above but pre-filtered to exclude GME residents and fellows, but including other students)
urn:oid:2.16.840.1.113730.3.1.3
- **ucNetID** (University of California UCNet ID number)
urn:oid:2.16.840.1.113916.1.1.4.1
- **UCEmployeeID** (University of California wide ID which is the full UCSF ID followed by "@ucsf.edu". This is different from the UCNet ID)
urn:oid:2.16.840.1.113916.1.1.6
- **UCstudentID** (same as "UCEmployeeID" above but sent with a different OID in the SAML response for compatibility with some UC systems)
urn:oid:2.16.840.1.113916.1.1.9
- **UCPathEmpID** (University of California wide ID which is defined by the central UCPath HR system. This is different from both the UCNet ID and UCSF ID)
urn:oid:2.16.840.1.113730.3.1.3

- **eduPersonPrincipalName** (*Internet2 standard unique, unchangeable ID. Has the format of characters 3 through 8 of the "ucsfEduIdNumber" followed by "@ucsf.edu"*)
urn:oid:1.3.6.1.4.1.5923.1.1.1.6
- **eduPersonPrincipalNameNoResidents** (*same as "eduPersonPrincipalName" above but pre-filtered to exclude GME residents and fellows, but including other students*)
urn:oid:1.3.6.1.4.1.5923.1.1.1.6
- **eppn_nameid** (*same as "eduPersonPrincipalName" above but sent as a SAML NameID instead of an attribute*)
NameID: urn:oasis:names:tc:SAML:1.1:nameid-format:unspecified
- **EppnNameID** (*same as "eppn_nameid" above but with a different NameID format*)
NameID: urn:oasis:names:tc:SAML:2.0:nameid-format:unspecified
NameID: urn:oasis:names:tc:SAML:2.0:nameid-format:persistent
NameID: urn:oasis:names:tc:SAML:1.1:nameid-format:unspecified
- **eduPersonTargetedID** (*a unique identifier created by computing the SHA-1 hash of the attribute requester's entity ID, the value of the "ucsfEduIdNumber" above, and a salt value in the IdP configuration*)
urn:oid:1.3.6.1.4.1.5923.1.1.1.10
- **ucsfedupstid** (*UCSF PeopleSoft ID*)
urn:oid:1.3.6.1.4.1.20319.1.1.1.26
- **ucsfEduWeblinksId** (*UCSF WebLinks ID*)
urn:oid:1.3.6.1.4.1.20319.1.1.1.54
- **ucsfEduLDAPUID** (*internal EDS uid value assigned to the user's LDAP entry*)
urn:oid:1.3.6.1.4.1.20319.1.1.1.55
- **sAMAccountName** (*Active Directory username, multi-value if user has more than 1 AD account*)
urn:oid:1.2.840.113556.1.4.221
- **sAMAccountNameNoResidents** (*same as "sAMAccountName" above but pre-filtered to exclude GME residents and fellows, but include other students*)
urn:oid:1.2.840.113556.1.4.221
- **sAMAccountNameSingle** (**DEPRECATED**. Same as "sAMAccountName" above. This used to provide a single result, but that is no longer possible)
urn:oid:1.2.840.113556.1.4.221
- **sAMAccountNameSingleNoResidents** (**DEPRECATED**. Same as "sAMAccountNameNoResidents" above. This used to provide a single result, but that is no longer possible)
urn:oid:1.2.840.113556.1.4.221
- **userPrincipalName** (*all userPrincipalName values for the user as found in the AD Global Catalog, multi-value*)
urn:oid:1.2.840.113556.1.4.656
- **transientId** (*per-session randomly generated character string to uniquely identify the client. Sent as a SAML NameID, not an attribute*)
NameID: urn:oasis:names:tc:SAML:2.0:nameid-format:transient
- **ucsfEduIdNumberADFS** (*same as "ucsfEduIdNumber" above but sent to the SP using a more Microsoft-friendly SAML attribute name*)
privatepersonalidentifier

EMPLOYMENT STATUS ATTRIBUTES:

- **ucsfEduStatus** (*employment status for each affiliation for the user found in IID, multi-value*)
urn:oid:1.3.6.1.4.1.20319.1.1.1.10
- **title** (*primary employment title based on the primary title code in the HR system of record*)
urn:oid:2.5.4.12
- **ucsfEduPrimaryTitleCode** (*UCSF primary title code, a.k.a. position number in OLPPS*)
urn:oid:1.3.6.1.4.1.20319.1.1.4.31

GROUP MEMBERSHIP ATTRIBUTES:

- **memberOf** (*Active Directory group membership, multi-value*)
urn:oid:1.2.840.113556.1.2.102
- **eduPersonEntitlement** (*list of Internet2 standardized entitlements granted to all UCSF users, multi-value*)
urn:oid:1.3.6.1.4.1.5923.1.1.1.7
- **eduPersonOrgDN** (*Internet2 standard formatted organization identifier. Almost always "dc=ucsf,dc=edu"*)
urn:oid:1.3.6.1.4.1.5923.1.1.1.3
- **UCTrustAssurance** (*static value of "urn:mace:universityofcalifornia.edu:ucidentity:attributes:assurance:basic" sent to UC systems requiring it*)
urn:oid:2.16.840.1.113916.1.1.5
- **isMemberOf** (*EDS group membership list used by some applications to grant access, multi-value*)
urn:oid:1.3.6.1.4.1.5923.1.5.1.1
- **User.IsActive** (*Salesforce-specific SAML attribute that always sends the value "1"*)
User.IsActive

AFFILIATION ATTRIBUTES:

- **eduPersonAffiliation** (*Internet2 standard affiliation types, multi-value*)
urn:oid:1.3.6.1.4.1.5923.1.1.1.1
- **eduPersonPrimaryAffiliation** (*Internet2 standard primary affiliation type*)
urn:oid:1.3.6.1.4.1.5923.1.1.1.5
- **eduPersonScopedAffiliation** (*Internet2 standard affiliation types, appended "@ucsf.edu", multi-value*)
urn:oid:1.3.6.1.4.1.5923.1.1.1.9

DEPARTMENT ATTRIBUTES:

- **ucsfEduWorkingDepartmentName** (*employee's working department name*)
urn:oid:1.3.6.1.4.1.20319.1.1.1.49
- **ucsfEduDepartmentCode** (*financial chart code for all departments for which the user is associated, multi-value*)
urn:oid:1.3.6.1.4.1.20319.1.1.1.8

- **ucsfEduPrimaryDepartmentCode** (*financial chart code for the user's primary department*)
urn:oid:1.3.6.1.4.1.20319.1.1.1.7
- **ucsfEduDepartmentName** (*official department name, multi-value if user is part of multiple departments*)
urn:oid:2.16.840.1.113916.1.1.4.1
- **organizationName** (*name of the work place organization. Almost always "University of California, San Francisco"*)
urn:oid:2.5.4.10
- **organizationalUnit** (*same as "ucsfEduWorkingDepartmentName" above but with a different SAML attribute name*)
urn:oid:2.5.4.11